

SUPPLEMENT TO

The Gazette



सत्यमेव जयते

of India

No. 27]

NEW DELHI, SATURDAY, JULY 28, 1956

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 23rd June, 1956

CHOLERA							CHOLERA						
SMALLPOX		PLAGUE						SMALLPOX		PLAGUE			
C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.	
STATES PART (A) & PART (C)							Assam						
Ajmer							Assam						
TOTAL	TOTAL
(Estd. Mid-year pop. 752 thousands).							(Estd. mid-year pop. 9,817 thousands).						
Total for w/e 16-6-56.	Total for w/e 16-6-56	24	11
Total for w/e 9-6-56.	Total for w/e 9-6-56	12	8	..	1
7-yearly mean for the week	7-yearly mean for the week	3	2	2	1
Andhra							Bhopal						
Andhra							TOTAL	13	9
Srikakulam	..	1	1	(Estd.-mid-year pop. 867 thousands).						
Visakhapatnam	23	8	..	Total for w/e 16-6-56	19
Godavari East	43	15	..	Total for w/e 9-6-56	11	15
Godavari West	32	9	..	7-yearly mean for the week
Krishna	..	1	..	12	5	..	Bihar						
Guntur	58	12	..	Patna	..	89	19	1	1	..
Nellore	9	2	..	Gaya	..	52	28	21	6	..
Kurnool	33	4	..	Shahabad	..	1	..	8	2	..
Cuddapah	1	Muzaffarpur	..	14	6
Anantapur	16	2	..	Darbhanga	..	7	..	2
TOTAL	..	2	1	227	57	..	Santal Pargana	..	2	2
(Estd. mid-year pop. 21,238 thousands).							Hazaribagh	..	2	..	2
Total for w/e 16-6-56.	270	53	Manbhum	..	1	..	1
Total for w/e 9-6-56	168	39	Palamau	..	4	1
7-yearly mean for the week	172	84	154	38	TOTAL	172	56	35	9

Explanation of Symbols used :—C.=Cases; D.=Deaths; ..=Nil; "N.R."=Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 23rd June, 1956— *contd.*

CHOLERA						SMALLPOX						PLAGUE											
C.		D.		C.		D.		C.		D.		C.		D.		C.		D.					
Bihar—contd.												Delhi—contd.											
Estd. mid-year pop. 42,198 thousands.)												(Census pop. 1,744 thousands).											
Total for w/e 16-6-56		77	36	22	6	—		Total for w/e 16-6-56		4	I							
Total for w/e 9-6-56		94	43	32	6	—		Total for w/e 9-6-56		7	I							
7-yearly mean for the week		97	36	65	12	..		7-yearly mean for the week		3	I							
Bombay												Himachal Pradesh											
Greater Bombay												"N. R."											
Ahmedabad												Madhya Pradesh											
Kaira												Nagpur											
Panch Mahals												Wardha											
Ahmednagar												Chanda											
East Khandesh												Chhindwara											
West Khandesh												Betul											
Satara North												Bhandara											
Sholapur												Sagar											
Bijapur												Mandla]											
Mehsana												Balaghat											
Banaskantha												Raipur											
TOTAL		44	10	..		Bilaspur		260	137	2	I	..							
(Estd. mid-year pop. 39,569 thousands).												Durg											
Total for w/e 16-6-56		70	6	..		Yeotmal		—	..	13	3	..							
Total for w/e 9-6-56		57	14	..		Akola		36	3	..							
7-yearly mean for the week		97	25	132	26	..		Buldana		4	I	..							
Coorg												TOTAL											
TOTAL			(Estd. mid-year pop. 22,109 thousands)															
(Estd. mid-year pop. 262 thousands).												Total for w/e 16-6-56											
Total for w/e 16-6-56		—		Total for w/e 9-6-56															
Total for w/e 9-6-56			7-yearly mean for the week															
7-yearly mean for the week		3		TOTAL															
Delhi												Madras											
Delhi City												Madras											
Delhi Notified Area												North Arcot											
TOTAL												Salem											
TOTAL												South Arcot											

Explanation of Symbols used : C=Cases; D.=Deaths ; ..=Nil ; "N.R."=Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 23rd June, 1956—*contd.*

CHOLERA							CHOLERA						
SMALLPOX							SMALLPOX						
PLAGUE							PLAGUE						
C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.	
Madras—contd.							Pondicherry						
Tiruchirappalli	7	4	TOTAL	79	68
Tirunelveli	4	3	Tripura						
Malabar	19	8	TOTAL	..	3	3
TOTAL	48	20	Uttar Pradesh						
(Estd. mid-year pop. 38,273 thousands.)							Allahabad						
Total for w/e 16-6-56	57	18	Banaras	2	2
Total for w/e 9-6-56	41	10	Budaun	..	6	5
7-yearly mean for the week	62	25	58	15	Kanpur	1
Manipur							Deoria	..	2	1
TOTAL	Etawah	6	2
(Estd. mid-year pop. 613 thousands.)							Faizabad	3
Total for w/e 16-6-56	Ghazipur	3	1
Total for w/e 9-6-56	Garhwal	2
Orissa							Hardoi	3	6
Cuttack	..	22	15	Jhansi	3	1
Puri	..	53	23	Jaunpur	..	1	1	12	6	..
Sambalpur	Kheri	..	15	7	2	1	..
Ganjam	..	4	6	Lucknow	2	1
Dhankanal	4	1	Muzaffarnagar	2
Kalahandi	10	Rae Bareilly	..	16	7	9	4	..
TOTAL	..	79	44	20	1	..	TOTAL	..	40	21	49	26	..
(Estd. mid-year pop. 15,114 thousands.)							West Bengal						
Total for w/e 16-6-56	111	59	42	3	Burdwan	..	15	9	5
Total for w/e 9-6-56	190	90	32	2	Birbhum	..	9	5
7-yearly mean for the week	85	47	128	19	Bankura	..	17	6
Punjab (1)½							Midnapur	..	1	..	1	1	..
Rohtak	1	Vindhya Pradesh						
Jullundur	3	N.R.						
TOTAL	4							
(Census pop. 12,641 thousands.)													
Total for w/e 16-6-56	4							
Total for w/e 9-6-56	3							
7-yearly mean for the week	19	7							

Explanation of symbols used C=Cases; D=Deaths; ..=Nil; "N.R."=Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 23rd June, 1956—*contd.*

CHOLERA								SMALLPOX								PLAQUE								
—		C.	D.	C.	D.	C.	D.	—		C.	D.	C.	D.	C.	D.	—		C.	D.	C.	D.	C.	D.	
West Bengal—contd.								Rajasthan																
								"N. R."																
								Saurashtra																
Hooghly	.	6	2	3	1	Gohilwad	4								
Howrah	.	37	15	4	3	Halar	3								
24-Parganas	.	85	35	..	1	TOTAL	7								
Calcutta	.	80	36	11	11	Travancore-Cochin																
Nadia	.	1	1	TOTAL	2	3								
Murshidabad	.	6	2	5	3	Grand Total for States																
Malda	9	Part (B)	20	5								
West Dinajpur	1	Grand Total for States																
Jalpaiguri	1	Parts (A), (B) and (C)	917	437	806	280									
TOTAL	.	257	111	38	22	ARREAR INFORMATION																
(Estd. mid-year pop. 26,396 thousands.)																								
Total for w/e 16-6-56	364	148	101	32	Madhya Pradesh																
Total for w/e 9-6-56	547	223	52	14	w/e 16-6-56																
7-yearly mean for the week	382	160	60	19	Nagpur	8								
Grand Total for States Parts (A) & (C) (excluding Himachal Pradesh and Vindhya Pradesh)	917	437	786	275	Chanda	26	3								
Corresponding (Estd. mid-year pop. 299,079 thousands.)																								
Corresponding Total for w/e 16-5-56	954	450	975	261	Sagar	1								
Corresponding Total for w/e 9-6-56	1163	528	628	175	Hoshangbad	5	2								
Corresponding 7-yearly mean for the week	1098	486	866	204	Rajpur	.	147	81	..	1								
STATES PART (B)								Bilaspur	.	135	78	3	1									
Hyderabad								Durg	.	7	2	8	2									
"N. R."								Bhandara	20	2									
Jammu and Kashmir								Balaghat	81	17									
"N. R."								Yeotmal	28	15									
Madhya Bharat								Akola	29	5									
"N. R."								Buldana	39	2									
Mysore								Surguja	.	24	4	1									
Bellary	1	TOTAL	.	313	165	249	50								
Kolar	10	2	Rajasthan																
TOTAL	11	2	w/e 9-6-56																
Patiala and East Punjab States Union								TOTAL	33	7									
TOTAL																	
Explanation of symbols used; C.—Cases; D.—Deaths; ..=Nil; "N. R."—Information not received.																								

Explanation of symbols used: C.—Cases; D.—Deaths; ..=Nil; "N. R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 23rd June, 1956—*contd.*

CHOLERA								CHOLERA							
SMALLPOX				PLAGUE				SMALLPOX				PLAGUE			
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Bihar								Himachal Pradesh							
<i>w/e 16-6-56</i>								<i>w/e 16-6-56</i>							
Patna	20	8	1	TOTAL							
Gaya	28	14	6	2	Himachal Pradesh							
Shahbad	2	1	<i>w/e 9-6-56</i>							
Muzaffarpur	7	4	TOTAL							
Darbhanga	4	2	Madhya Pradesh							
Monghyr	7	1	9	2	<i>w/e 16-6-56</i>							
Hazaribagh	9	6	5	1	TOTAL							
Manbhum	1	1	TOTAL							
TOTAL	77	36	22	6	TOTAL							

Explanation of symbols used: C. = Cases; D. = Deaths; .. = Nil.

NEW DELHI-2 (INDIA);

The 16th July 1956

K. MITRA,

for Registrar General, India.

Prosper with the **NATION**

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES	Interest at 4.16 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR NATIONAL PLAN CERTIFICATES	Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS	2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 15,000/-.
15-YEAR ANNUITY CERTIFICATES	
Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.	Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 23rd June, 1956

Deaths from :—																
Town	Mid.-year Popn.-Est. (000)		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.		
STATES—(Parts A and B)																
Ajmer																
Ajmer	.	223	83	19.4	4	..	4	..	24	5.6	3		
Beawar	.	59	19	16.7	3	..	1	1	5	4.4	3		
TOTAL	.	282	102	18.8	7	..	5	1	29	5.3	6		
Andhra																
Adoni†																
Anantpur†																
Anakapalli	.	49	21	23.7	1	2	1	1	19	21.5	3		
Bhimavaram	.	36	12	17.3	1	..	4	5.8	..		
Chirala	.	43	17	20.6	..	1	..	1	..	3	..	8	9.7	1		
Chittoor	.	45	27	31.2	2	1	3	..	13	15.0	5		
Cuddapah	.	42	39	48.3	1	..	8	9.9	5		
Eluru	.	99	40	21.0	..	8	..	8	..	4	1	34	17.9	6		
Gudivada	.	36	16	23.1	6	..	2	..	14	20.2	5		
Guntur	.	147	122	43.2	..	3	..	5	3	4	2	47	16.6	13		
Guntakal †																
Kakinada	.	113	37	17.0	12	23	10.6	..		
Kurnool	.	68	61	46.7	..	1	..	3	..	2	1	24	18.4	5		
Masulipatnam	.	88	26	15.4	1	2	6	3.6	..		
Nandyal	.	37	26	36.5	..	5	..	4	1	1	..	20	28.1	..		
Nellore	.	95	97	53.0	4	3	2	1	35	19.1	12		
Proddatur†																
Rajahmundry	.	122	88	53.2	12	1	2	..	37	15.8	6		
Tenali	.	67	46	36.7	3	..	2	..	14	10.9	5		
Vijayvada	.	201	139	50.3	..	1	..	9	5	6	..	55	14.2	19		
Visakhapatnam	.	128	49	19.9	..	6	..	11	1	9	..	47	19.1	14		
Vizianagaram	.	75	45	31.2	4	2	1	..	28	19.4	7		
TOTAL	.	1,488	908	31.7	..	25	..	86	21	44	6	436	15.2	106		
Assam																
N.R.																
Bhopal																
Bhopal	.	116	103	46.2	3	..	4	..	14	6.3	..		
Bihar																
"N.R."																
Bombay																
Ahmedabad	.	889	555	35.5	..	2	..	14	7	67	..	239	14.0	64		
Ahmednagar	.	88	65	38.4	1	1	5	..	19	11.2	1		
Amalner	.	50	40	41.6	8	..	2	..	14	14.6	4		
Bagalkot	.	36	30	43.3	3	8	11.6	2		
Baroda	.	242	178	38.2	15	3	20	1	74	15.9	20		
Barsi	.	46	36	40.7	9	17	19.2	6		
Belgaum	.	110	143	67.6	1	1	9	..	46	21.7	11		
Bhusawal	.	62	30	25.2	3	..	1	..	11	9.2	1		
Bijapur	.	75	86	59.6	4	2	1	..	15	10.4	..		
Broach	.	67	53	41.1	3	..	2	..	11	8.6	3		
Cambay	.	41	33	41.9	1	..	1	..	9	11.4	2		
Chalisgaon	.	35	18	26.7	4	2	..	2	11	16.3	2		
Dharwar	.	76	67	45.8	1	11	7.5	..		
Dhulia	.	89	49	28.6	6	..	1	..	11	6.4	5		
Gadag-Betegeri	.	71	51	37.3	12	1	3	1	27	19.8	..		
Godra	.	40	37	48.1	9	12	15.6	4		
Greater Bombay	.	3,449	1,661	25.0	..	1	..	7	41	83	2	583	8.8	168		
Hubli	.	148	100	35.1	2	..	6	..	31	10.9	3		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information; N.R.—Information not received.

Births and Deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 23rd June, 1956—contd.

Town	Deaths from 1—											Total	D.R.*	I.D.
	Mid year Popn.Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
Bombay—contd.														
Jalgaon	79	23	15.1	9	..	3	..	18	11.8	6		
Kalyan	173	30	21.4	2	1	7	5.0	..		
Kolhapur	159	121	39.6	2	5	8	..	30	9.8	5		
Malegaon†														
Miraj	44	22	26.0	1	1	3	..	9	10.6	2		
Nadiad	71	47	34.4	13	2	26	19.0	12		
Nandurbar	35	15	22.3	1	..	1	..	8	11.9	3		
Nasik	119	96	41.9	7	1	7	1	29	12.7	10		
Nayasari	50	16	16.6	6	13	13.5	2		
Pandharpur	44	26	30.7	5	1	2	..	14	16.5	4		
Patan	47	39	43.2	1	1	4	..	11	12.2	3		
Poonat†														
Sangli	58	26	23.3	2	1	1	..	12	10.7	2		
Satara†														
Sholapur	299	200	34.8	16	2	30	..	94	16.3	27		
Surat	250	155	32.2	14	11	18	2	144	30.0	48		
Thana	61	20	17.0	1	8	6.8	1		
TOTAL	7,003	4,068	30.2	..	3	182	82	278	11	1,572	11.7	421		
Delhi State														
Delhi City	1,124	502	23.2	124	17	34	..	248	11.3	98		
New Delhi	374	211	29.3	10	7	..	119	16.5	35		
N.A.C. Civil Station, Delhi	117	96	42.7	..	1	4	4	6	..	25	11.1	10		
Delhi Cantt.	50	25	26.0	1	..	1	..	5	5.2	2		
Delhi Shahdara	53	39	38.3	9	11	10.	2		
TOTAL	1,718	873	26.4	..	10	138	31	48	..	408	12.3	147		
Madhya Pradesh														
Achalpur	58	29	39.7	5	1	13	17.8	8		
Akola	104	64	32.0	5	6	29	14.5	10		
Amravati	101	72	37.1	8	..	3	1	21	10.8	9		
Bilaspur	40	14	18.2	5	1	1	..	12	15.6	5		
Burhanpur	79	62	40.8	10	..	2	..	25	16.4	..		
Chanda	43	30	36.3	6	1	10	12.1	2		
Chindwarat†														
Damoh†														
Gondia	45	37	42.8	4	1	12	13.8	1		
Hingaghat†														
Jabalpur†														
Khandwa	59	27	23.8	2	1	11	9.7	..		
Khangaon†														
Kamptee	36	17	24.6	1	7	10.1	..		
Murwarat†														
Itarsi†														
Nagpur	528	153	15.1	..	5	31	2	9	3	79	7.8	1		
Sagar	75	26	18.0	4	..	1	..	10	6.9	..		
Raipur†														
Raigarhat†														
Wardhat†														
Yeotmal	41	32	40.5	1	..	1	..	13	16.5	5		
TOTAL	1,189	563	24.6	..	5	82	12	17	5	242	10.6	41		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B=Births; B. R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D. D.=Dysentery and Diarrhoea; R. D.=Respiratory Diseases; M. D.=Maternal Deaths; D. R.=Death Rates; I. D.=Infantile Deaths (included in total deaths); ..=Nil information; N.R.=Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 23rd June, 1956—*contd.*

Town	Mid-year Popn. Est. (000)	Deaths from :—										D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total		
Madras													
Ambur . . .	44	26	30.7	1	..	2	..	7	8.3	2
Aruppukottai†													
Bodinayakanur . . .	40	19	24.7	3	..	7	9.1	..
Cannanore . . .	47	17	18.8	2	..	4	..	15	16.6	1
Chidambaram . . .	39	30	40.0	2	..	8	10.7	..
Coimbatore . . .	234	264	58.7	3	7	11	3	51	11.3	18
Cuddalore . . .	74	57	40.1	1	2	2	23	16.2	3
Dindigul . . .	90	36	20.8	1	1	..	14	8.1	2
Erode . . .	67	76	59.0	1	..	1	..	14	10.9	2
Gobichetty Palayan	38	33	45.2	2	19	26.0	2
Guddiyattam . . .	53	38	37.3	1	1	2	..	7	6.9	1
Kancheepuram . . .	90	72	41.6	3	13	1	26	15.9	7
Karaikudi . . .	44	36	42.5	1	6	7.1	..
Karur . . .	50	25	26.0	2	1	1	..	14	14.6	2
Kozhikode . . .	176	162	47.9	1	3	6	..	57	16.8	18
Kumbakonam . . .	105	85	42.1	2	..	17	8.4	3
Madras . . .	1,703	1,358	41.5	..	1	..	73	88	137	4	593	18.1	194
Mangalore . . .	136	103	39.4	3	..	25	9.6	7
Mathurai†													
Mayuram . . .	49	70	74.3	1	13	13.8	4
Malapalayam . . .	41	18	22.8	2	1	..	6	7.6	1
Nagapattinam . . .	60	41	35.5	2	1	1	10	8.7	3
Ootacamund . . .	48	60	65.0	2	2	11	11.9	2
Palani . . .	40	23	30.0	1	3	1	8	10.4	1
Palayamkottai . . .	45	44	50.8	2	1	..	1	16	18.5	1
Palghat . . .	77	44	29.7	3	2	3	..	25	16.9	5
Periyakulam . . .	34	24	36.7	4	1	..	8	12.2	1
Pollachi . . .	51	46	46.9	3	6	1	17	17.3	1
Pudukottai . . .	50	44	45.8	..	2	1	3	1	25	26.0	6
Rajapalayam . . .	69	23	17.3	1	3	3	..	19	14.3	5
Salem†													
Srirangam . . .	42	23	28.5	1	1	2	..	10	12.4	1
Srivilliputtur . . .	44	30	35.5	1	1	..	10	11.8	2
Tanjore . . .	118	61	26.9	1	..	1	..	11	4.8	1
Tellicherry . . .	42	27	33.4	1	5	..	16	19.8	4
Tirurannamalai . . .	45	32	37.0	..	2	—	..	1	1	..	16	18.5	6
Tirunelveli . . .	80	47	30.6	2	4	..	16	10.4	7
Tiruppur . . .	63	64	52.8	3	..	13	10.7	2
Tiruchirapalli . . .	251	175	36.3	1	2	5	..	36	9.1	5
Tuticorin . . .	111	76	35.6	1	7	1	32	15.0	12
Vaniyambadi . . .	43	28	33.9	1	2	..	7	8.5	1
Vellore . . .	124	103	43.2	3	3	11	..	53	22.2	16
Villupuram . . .	39	30	40.0	2	1	3	..	21	28.0	5
Virudunagar . . .	53	36	35.3	3	1	1	9	8.8	..
TOTAL . . .	4,649	3,606	40.3	—	5	..	103	143	257	18	1,319	14.8	354
Orissa													
Berhampur . . .	72	55	39.8	..	—	..	3	3	2	..	15	10.9	3
Cuttack . . .	117	137	61.1	7	3	4	..	38	16.8	6
Puri . . .	53	37	36.4	7	5	1	..	27	26.6	8
TOTAL . . .	242	229	49.2	17	11	7	..	80	17.2	17

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ..=Nil Information. "N.R."=Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 23rd June, 1956—*contd.*

Town	Mid.-year Popn.-Est. (000)	B.	B.R.*	C.	Deaths from :—							Total	D.R.*	I.D.
					S.	P.	F.	D.D.	R.D.	M.D.				
Punjab (I)														
Ambala	65	61	49·1	8	4	2	..	24	19·3	4	
Amritsar	343	162	24·7	2	3	30	..	77	11·7	22	
Batala	62	27	22·8	12	..	4	..	16	13·5	7	
Bhiwani	57	12	20	18·3	4	
Ferozepore	45	26	30·2	1	5	2	..	15	17·4	4	
Hissar	39	31	41·6	5	..	5	..	13	17·4	3	
Hoshiarpur	51	21	21·5	1	..	7	..	23	23·6	3	
Jullundur	200	107	28·0	19	2	11	1	39	10·2	6	
Karnal	72	27	19·6	5	1	..	2	11	8·0	3	
Ludhiana	176	114	33·9	18	..	1	..	32	9·5	13	
Moga	41	30	38·3	3	4	5·1	1	
Paatalpat	64	30	24·5	10	3	1	..	20	16·3	6	
Pathankot	34	16	24·6	1	..	1	..	4	6·2	1	
Rewari†	105	29	14·4	18	..	1	..	21	10·4	7	
Rohtak	105	29	14·4	18	..	1	..	21	10·4	7	
Simla	50	34	35·6	—	4	4·2	3	
Sonepat	34	16	24·6	10	..	1	..	12	18·5	4	
TOTAL	1,438	731	26·4	125	18	66	3	335	12·1	91	
Uttar Pradesh														
Agra	375	226	31·5	2	4	37	..	80	11·1	26	
Allahabad	349	139	20·8	7	1	45	1	80	12·0	23	
Amroha	61	55	47·1	3	1	7	..	21	18·0	9	
Bahraich	47	21	23·4	4	1	2	..	9	10·0	2	
Banaras	383	242	33·0	..	3	..	43	11	15	..	170	23·2	34	
Ballia	35	8	11·9	1	2	6	9·0	1	
Banda	32	19	31·0	1	6	9·8	2	
Bareilly	203	71	18·3	10	4	10	..	30	7·7	10	
Bijnor†														
Budaun	54	21	20·3	4	..	2		18	17·4	4	
Basti†														
Bulandshahr†														
Chandausi	41	28	35·5	17	3	5	1	30	38·0	16	
Dehra Dun.	146	32	11·4	3	..	3	..	18	6·4	1	
Etawah†														
Faizabad-Ayodhya†														
Farrukhabad-Fatehgarh	82	32	20·4	8	2	7	..	19	12·1	5	
Ferozabad	79	31	20·5	9	..	2	..	18	11·9	6	
Ghaziabad	46	24	27·3	10	1	11	12·5	6	
Gazipur	36	36	52·0	4	2	1	..	13	18·9	2	
Gorakhpur	140	65	24·3	7	12	6	..	36	13·4	6	
Gonda	35	10	14·9	4	4		..	9	13·4	2	
Hapur	49	30	32·0	9	2	5	..	21	22·4	8	
Hardwar	64	28	22·9	18	3	3		42	34·3	12	
Hathras	62	37	31·2	22	5	6	1	42	35·4	17	
Jaunpur	56	20	18·7	..	1	..	3	..	2	..	10	9·3	1	
Jhansi	116	83	37·4	..	1	..	16	1	1		32	11·4	9	
Kanpur	734	344	24·5	110	16	40	5	294	20·9	93	
Kaaganj	34	11	16·9	5	5	7·7	..	
Khurja	41	24	30·4	4	..	8	..	21	26·6	6	
Koil-Aligarh	150	45	15·7	22	5	4	..	37	12·9	15	
Lucknow	494	283	30·9	25	6	21	..	99	10·5	37	
Mathura	110	81	38·5	22	4	3		44	20·9	10	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.=Births ; B.R.=Birth Rate ; C.=Cholera ; S.=Small Pox ; P.=Plague ; F.=Fever ; D.D.=Dysentery and Diarrhoeas ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths) ; ..=Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 23rd June, 1956—*contd.*

Town	Mid-year Popn.—Est. (000)	Deaths from:—											Total	D.R.*	I.D.
		B.	B. R.*	C	S.	P.	F.	D.D.	R.D.	M.D.					
Uttar Pradesh—contd.															
Mau-Nath Bhanjan†															
Meerut	185	100	28.3	10	2	7	..	29	8.2	7		
Mirzapur Vindhyachal	97	49	26.4	12	1	3	..	23	12.4	8		
Moradabad	164	85	27.1	3	2	13	..	35	11.1	14		
Muzaffarnagar	74	30	21.2	..	2	..	5	..	1	..	12	8.5	4		
Pilibhit	45	24	27.9	13	5	23	26.7	15		
Rampur†															
Saharanpur	162	119	39.1	40	2	2	..	50	16.1	20		
Sambhal	65	44	35.4	14	5	3	..	33	26.5	7		
Shahjahanpur	99	74	30.4	25	5	3	1	46	28.9	14		
Sitapur	49	16	16.7	5	6	6.4	4		
TOTAL	4,994	2,587	26.9	..	7	..	520	112	267	9	1,478	15.4	456		
West Bengal															
Asansol†															
Baidyabati	33	13	20.6	1	3	4.8	1		
Bally	66	5	4.0	2	5	4.0	..		
Bankura†															
Bensberia†															
Baranagar	90	37	21.5	1	1	2	3	1	12	7.0	4		
Basirhat†															
Berhampur	64	36	29.4	1	..	3	..	8	6.5	3		
Bhadreswar	34	7	10.8	1	1	1	1.5	..		
Bhatpara	143	13	4.8	7	..	4	..	18	6.6	10		
Budge Budge †															
Bardwan†															
Calcutta	2,984	1,185	20.8	36	11	..	27	37	110	5	529	9.3	141		
Champdani	41	18	23.0	1	4	5.1	..		
Cooch Behar†															
Darjeeling†															
English Bazar	36	14	20.3	2	2.9	..		
Garden Reach	124	18	7.6	2	5	2	1	..	14	5.9	2		
Halisahar	41	5	6.4	1	1.3	..		
Hooghly-Chinsurah	60	60	52.0	1	4	2	2	..	20	17.4	4		
Howrah	477	178	19.5	9	3	..	6	12	30	..	112	12.3	29		
Jalpaiguri	49	10	10.7	1	..	3	3.2	..		
Kamarhati†															
Kanchrapara†															
Krishnagar	56	2	1.9	1	0.9	..		
Midnapore	45	19	22.0	3	2	1	..	16	18.6	..		
Nabadwip †															
Naihati	62	3	2.5	1	..	2	..	5	4.2	..		
North-Barrackpore	36	2	2.9		
Panihati	65	2	1.6	1	0.8	..		
Sandipur	49	17	18.1	2	2.1	..		
Serampore	83	49	30.9	5	15	9.4	5		
Siliguri	44	18	21.4	1	1	1.2	..		
South Dum Dum†															
South Suburban	124	26	11.0	1	5	2	..	14	5.9	4		
Titagarh†															
TOTAL	4,806	1,737	18.8	51	14	..	58	68	159	7	787	8.5	203		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used:—B. = Births; B.R. = Birth Rate; C. = Cholera; S. = Smallpox; P. = Plague; F. = Fevers; D.D. = Dysentery and Diarrhoea; R.D. = Respiratory Diseases; M.D. = Maternal Deaths; D.R. = Death Rate; I.D. = Infantile Deaths (included in total deaths); .. = Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 23rd June, 1956—*contd.*

Town	Mid.-year Popn.-Est. (000)	B.	B.R.*	Deaths from :—										D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.	Total				
West Bengal—contd.															
Hyderabad				STATES—(Part B)											
Aurangabad . . .	73	10	7.1	1	..	3	2.1	..		
Bidar . . .	37	2	2	2.8	..		
Gulberga . . .	90	3	1.8	3	..	2	..	5	2.9	..		
Hyderabad City	1,058	666	32.7	..	2	..	15	5	6	..	109	5.4	10		
Jalna †		
Kothagudiam . .	71	33	25.1	2	1.5	..		
Latur†	1	..	3	..	4	2.6	..		
Nanded . . .	80	25	16.3	1	..	2	1	8	6.2	4		
Nizamabad . . .	67	14	10.9	1		
Parbhani . . .	40	5	6.5	2	3	3.9	1		
Raichur†		
Secundrabad City .	162	136	43.6	..	1	..	3	1	6	..	33	10.6	6		
Warangal†		
TOTAL . . .	1,678	892	27.6	..	3	..	27	6	20	1	169	5.2	21		
Jammu & Kashmir				"N.R."											
Madhya Bharat				"N.R."											
Mysore															
Chitaldrug . . .	31	2	3.4	1	1	1.7	..		
Bhadravati . . .	55	8	7.6	2	1.9	..		
Bangalore . . .	977	684	36.4	9	47	88	..	236	12.6	..		
Mysore . . .	294	180	31.8	15	7	4	..	57	10.1	..		
Kolar Gold Field .	173	30	9.0	2	5	1.5	..		
Bellary . . .	78	24	16.0	2	3	2	..	28	18.7	..		
Davangere . . .	69	34	25.6	1	6	4.5	..		
Hospet . . .	45	14	16.2	2	5	5.8	..		
Shimoga . . .	57	37	33.8	8	..	1	..	10	9.1	..		
TOTAL . . .	1,779	1013	29.6	36	60	95	1	350	10.2	..		
PEPSU															
Patiala City . . .	111	88	41.2	26	..	2	1	44	20.6	17		
Malerkota . . .	34	25	38.2	3	4	6.1	..		
Bhatinda . . .	39	26	34.7	1	..	2	2.7	1		
TOTAL . . .	184	139	39.3	29	..	3	1	50	14.1	18		
Rajasthan															
Alwar †		
Bharatpur†		
Bikaner . . .	117	40	17.8	2	2	5	..	20	8.9	2		
Churu . . .	48	3	3.2	1	1.1	..		
Ganganagar . . .	47	1	1.1	..	1	..	9	12	13.2	189		
Tonk . . .	45	8	9.2	1	..	3	..	4	4.6	..		
Kotah†		
Sikar†		
Jaipur . . .	353	40	5.7	19	3	13	..	64	9.4	21		
Udaipur†		
Jodhpur†		
TOTAL . . .	610	92	7.8	..	1	..	31	5	21	..	101	8.6	212		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.=Births ; B. R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D. D.=Dysentery and Diarrhoea ; R. D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths) ; ..=Nil Information ; "N. R."=Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 23rd June, 1956—*contd.*

Town	Mid-year Popn.-Est. (000)	Deaths from :—											D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total			
Travancore-Cochin														
Alleppey	148	34	11.9	3	..	2	..	28	9.8	4	
Changanacherry	41	20	25.4	2	7	8.9	2	
Ernakulam	70	64	47.5	2	2	..	11	8.2	2	
Kottayam	50	23	23.9	1	..	6	6.2	..	
Mattanchery	85	42	25.7	2	1	1	..	12	7.3	2	
Nagercoil	94	39	21.6	1	1	2	..	18	10.0	3	
Quilon	75	73	50.6	1	1	1	..	24	16.6	2	
Trichur	76	62	42.4	1	1	..	12	8.2	1	
Trivandrum City	218	322	77.0	5	4	6	..	35	8.4	1	
TOTAL	857	680	41.3	14	10	15	..	153	9.3	17	

Saurashtra															
Bhavnagar	.	.	157	36	11.9	8	5	3	..	40	13.2	14
Dhoraji	.	.	47	28	30.1	6	16	17.7	..
Gondal	.	.	41	21	26.6	3	1	7	8.9	..
Jamnagar	.	.	122	14	6.0	11	3	1	1	20	8.5	8
Junagadh	.	.	65	46	36.8	7	3	1	..	17	13.6	5
Morvi	.	.	43	11	13.3	4	..	2	..	6	7.3	2
Porbandar	.	.	64	35	28.4	14	2	1	..	24	19.5	11
Rajkot	.	.	167	58	18.1	15	7	5	..	40	12.4	13
Surendranagar†															
Veraval	.	.	46	8	9.0	8	2	11	12.4	3
TOTAL	.	.	752	257	17.8	—	76	23	13	1	181	12.5	56

ARREAR RETURNS

Madhya Pradesh				For w/e 18-2-56											
Wardha	.	.	46	21	23.7	6	1	2	..	16	18.1	..
Hinganghat	.	.	35	9	13.4	1	1	2	..	8	11.9	..
Chanda	.	.	43	26	31.4	4	1	12	14.5	..
For w/e 25-2-56															
Wardha	.	.	46	26	29.4	4	1	3	..	13	14.7	..
Hinganghat	.	.	35	11	16.3	2	..	1	..	12	17.8	..
Chanda	.	.	43	30	36.3	3	1	12	14.5	..
For w/e 3-3-56															
Wardha	.	.	46	13	14.7	2	1	4	..	17	19.2	..
Hinganghat	.	.	35	10	14.8	3	3	1	..	10	14.8	..
Chanda	.	.	43	25	30.2	4	1	1	..	12	14.8	..
For w/e 26-5-56															
Raigarh	.	.	35	16	23.8	10	15	22.3	..
For w/e 9-6-56															
Khandwa	.	.	59	21	18.5	2	..	1	..	5	4.4	..
Burhanpur	.	.	79	49	32.3	6	..	1	..	13	8.6	..
For w/e 16-6-56															
Nagpur	.	.	528	165	15.7	..	7	..	23	4	7	3	83	8.2	..
Kamptee	.	.	36	18	26.3	7	8	11.6	..
Sagar	.	.	75	18	12.5	7	16	11.1	..

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); .. = Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 23rd June, 1956—*concl'd.*

Deaths from :—

Town	Mid-year Popn-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Bombay		<i>For w/e 2-6-56</i>											
Broach . . .	67	55	42.7	1	..	6	..	14	10.9	1
Kalyan . . .	73	47	33.4	5	1	5	..	16	11.4	4
Malegaon . . .	63	65	53.6	8	..	1	..	11	9.1	5
		<i>For w/e 9-6-56</i>											
Malegaon . . .	63	47	38.8	5	..	1	..	6	5.0	1
		<i>For w/e 16-6-56</i>											
Broach . . .	67	67	52.0	4	..	3	..	19	14.7	9
Assam		<i>For w/e 16-6-56</i>											
Gauhati . . .	51	5	5.8	..	3	..	4	12	12.2	..
Silchar . . .	43	2	2.4	8	1	1	..	13	15.7	..
		<i>For w/e 9-6-56</i>											
Gauhati . . .	51	6	6.1	5	8	8.2	11
PEPSU		<i>For w/e 16-6-56</i>											
Patiala City . . .	111	76	35.6	25	..	2	..	45	21.7	13
Delhi State		<i>For w/e 26-5-56</i>											
Delhi . . .	1,124	508	23.5	56	5	15	..	119	5.5	41
New Delhi . . .	374	168	23.3	7	6	1	130	18.1	29
N.A.C. Civil Station, Delhi	117	72	32.0	..	3	..	2	1	4	1	19	8.4	8
Delhi Cantt . . .	50	19	19.8	2	..	3	2.1	..
Delhi-Shahdara . . .	53	40	39.2	3	..	1	..	7	6.9	..
TOTAL	1,718	807	24.4	..	3	..	61	13	28	2	227	8.4	79

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimate may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used : —B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); .. = Nil information.

REMARKS

The figures of births and deaths shown in this statement for week ending the 23rd June, 1956, relate to 234 towns with an estimated population of 33,785 thousands. The total number of towns is 317 and their population is 41,516 thousands. Thus 74% of the total number of towns representing 81% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 18,580 and 7,704 representing birth and death rates of 28.6 and 11.9 per thousand of population respectively.

(a) *States (Part A and C)*:—The data here relate to 190 towns with an estimated population of 27,925 thousands. Information about Bihar, & Assam, could not be included. The total number of towns is 252 and their population is 33,432 thousands. Thus 75% of the total number of towns representing 84% of the total population is covered. The number of births and

deaths recorded in these towns were 15,507 and 6,700 representing birth rates and death rates of 28.9 and 12.5 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(b) *States (Part B)*:—The data here relate to 44 towns with an estimated population of 5,860 thousands. The total number of towns is 65 and their population is 8,084 thousands. Thus 68% of the total number of towns representing 72% of the total population is covered. The number of births and deaths recorded in these towns were 3,073 and 1,004 representing birth and death rates of 27.3 and 8.9 per thousand of population respectively. No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 23-6-56		Corresponding w/e last year		Corresponding mean during the previous 5-year period	
	B.R.	D.R.	B.R.	D.R.	B.R.	D.R.
Ajmer . . .	18.8	5.3	†	†	26.9	10.7
Andhra . . .	31.7	15.2	36.0	17.0	†	†
Bombay . . .	30.2	11.7	28.3	11.7	29.2	13.3
Delhi . . .	26.4	12.3	26.4	10.1	30.3	12.4
Madhya Pradesh .	24.6	10.6	22.4	9.9	24.6	12.3
Madras . . .	40.3	14.8	42.3	20.5	†	†
Orissa . . .	49.2	17.2	48.4	17.8	39.1	18.
Punjab (I) . . .	26.4	12.1	28.7	12.5	28.7	12.3
Uttar Pradesh . .	26.9	15.4	28.2	17.2	26.8	17.4
West Bengal . . .	18.8	8.5	18.3	11.8	17.9	12.
India* . . .	28.9	12.5	29.2	14.4	29.3	15.2

8 Part "A" States and 2 Part "C" States.

† Figures not available.

NEW DELHI-2 (INDIA); }
The 16th July 1956. }

K. MITRA,
for Registrar General, India.